



Global Remote

Building Materials Trading L.L.C

A ONE ROOF HDPE SOLUTION



شركة أبوظبي للتوزيع
Abu Dhabi Distribution Co.
Approved Vendor




AL SHAMSI BUILDING, STORE -5, MUSAFFAH M-36, ABU DHABI- UAE

www.globalremoteuae.com email: info@globalremoteuae.com

Tel: +971 2 550 0381 , +971 2 884 3375

Pe100 Fittings For
WATER & GAS SYSTEM



Electrofusion

- EF Tee
- EF Elbow
- EF Saddle
- EF Coupler
- EF Reducer
- EF Smart Tee
- EF Tapping Saddle




Spigot

- Elbow
- Tee
- Reducer
- End Cap
- Flange Adaptors



FABRICATION / INJECTION

Fabrication Fittings



INJECTION FITTINGS



IN FABRICATION FITTINGS

Low Working Pressure



Low Durability




IN INJECTION FITTINGS

High Working Pressure

Longer Durability

BACKING FLANGE / PP STEEL

"For All Challenging Applications..."



%30 Glass-Fiber Reinforced

UV Resistant

Suitable for Outdoor Use

Transition Adaptors

Transition Adaptor PE

Transition Adaptor PE-Steel

Transition Adaptor PE-Brass



Valve And Accessory

PE 100 Ball Valve

Operational Key and Protection Pipe

POLYETHYLENE VALVES FOR WATER AND GAS APPLICATIONS

*Dimensions between 32mm to 200mm.
Suitable for Butt welding and Electrofusion welding.
Suitable for mechanical connections.
No metal parts in or outside of product.
Double up and downstream tightness.*

APPLICATIONS

*Natural gas collection, natural gas distribution, landfill gas,
hydrocarbon fuel gases, hydrogen, air, other inert gases, potable water and sewage*



Fabrication

Elbow
Tee
Reducer
Puddle Flange



Tools And Weldings

Pipe Scraper
Saddle Tools
Pipe Clamp
Pipe Squeeze
Electrofusion Units



Hand Scrapers



Easy to use
Replaceable blade

Article No	Diameter Range	Weight
0001 8222 000 100	mm	kg
0002 8222 000 100	All sizes Blade	0,215

Saddle Tools

Tapping Saddle Keys

Article No	Description	Weight
0001 8226 000 001	Saddle Drilling Spanner	kg
0002 8226 000 100	Saddle Tightening Spanner	0,560 0,200



PIPE CLAMP

Multi Clamp

Rerounding and restraint during welding
Suitable use in narrow trenches
Suit any pipe and fittings configuration
Robust lightweight base



Article No	Diameter Range	Trade Name
	mm	
0001 8223 000 120	20mm - 63mm	Multi
0002 8223 000 120	63mm - 180mm	Straight
0003 8223 000 120	63mm - 180mm	Angular
0004 8223 000 120	180mm - 250mm	Straight
0005 8223 000 120	180mm - 250mm	Angular

Manuel Type

Compact unit, easy to apply
Limit plates prevent damage to the pipe

Hydraulic Type

Full stroke hydraulic unit
Limit plates prevent damage to the pipe
Integral safety relief valve



Article No	Diameter Range	Type
	mm	
0001 8225 000 120	20mm - 63mm	Manual
0002 8225 000 120	63mm - 125mm	Hydraulic
0003 8225 000 120	75mm - 200mm	Hydraulic

UNIPREP SCRAPER

4 sided tungsten scraping tip
Lightweight aluminum body
Spring loaded tip for irregular shaped pipe
Suitable for all SDR rated pipe
0.25mm ± 0.05mm cut depth



Article No	Diameter Range	Weight
	mm	kg
0002 8222 000 120	63mm - 250mm	3,0
0003 8222 000 120	90mm - 400mm	3,0
0004 8222 000 120	125mm - 500mm	3,5
0005 8222 000 120	450mm - 710mm	4,0
0006 8222 000 120	Bicak / Blade	

